 Made in Denmark


HETA

Content

- 3 Cozy heat for living
- 4 Choosing the proper stove

STOVE

- 6 Scan-Line 910 + 920B + 920S
- 10 Scan-Line 900
- 20 Scan-Line 800
- 38 We care about the environment
- 40 Scan-Line 8
- 44 Scan-Line 1000
- 48 Scan-Line 500 + Napoli + Turin
- 54 Scan-Line 7
- 57 Stone options
- 58 Ambition 5 + 8
- 60 Inspire
- 64 Scan-Line 80
- 66 Scan-Line 40 + 50
- 68 Scan-Line 10 + 20 + 30
- 70 Scan-Line Tour
- 73 Stay warm for many hours
- 74 Scan-Line 95 + 100

INSERT

- 76 Prestige
- 78 Panorama
- 80 Vista
- 82 Classic
- 84 Inspire
- 86 Builders hole measurments
- 90 Scan-Line 805 Aqua
- 92 HETA Automatic Combustion

ACCESSORIES

- 93 Accessories for stoves
- 94 Glass plates

Cozy heat for living.

You get it all with HETA.

HETA is Danish design and quality, where we have catered for every detail. HETA stoves, inserts and pellet stoves offer a great source of heat in your home, add to the decor and spread cosiness on cold days. When you choose a HETA stove, you get cosy heat for living, peace of mind, Danish design and quality, developed over more than 150 years.

In Lemvig, on the west coast of Jutland, HETA is manufacturing all their stoves, inserts, pellet stoves, aqua stoves, thermal mass stoves and outdoor products in steel and cast iron, from idea to finished product.

We are constantly developing, updating and extending our impressive range of stoves. The craftsmanship and the pride of creating our own products are still the main characteristics of HETA, and these values are clearly reflected in our innovative and functional stoves.

We feel strongly about the environment and our common future. For many years, HETA has worked intensively on more environmentally-friendly production of wood-burning stoves, and today, they are some of the most clean-burning wood-burning stoves in Europe.

All HETA stoves have impressively high burning value, so you get more out of your firewood, and the amount of polluting gases is reduced as much as possible before they leave the chimney.

All stoves are inspected before leaving the factory. In addition to that, you naturally get a five year warrant on your product, covering manufacturer's defects.



Choosing the proper stove

There is a large range to choose from and choosing the right stove is not so simple.

Before you decide, ask yourself the following five questions:



1. The size of your stove?

Is your stove to be the primary source of heating or will it just provide a cozy atmosphere as a supplement to your present heat source? The answer is crucial for your choice of stove.

A stove's output is measured in kilowatts (kW). kW is an expression of the amount of heat given out by a stove. As a rule-of-thumb, 1 kW can warm up a 10-20 m² room with an average ceiling height, depending on the room's insulation. The value "kW tested" shows a stove's output has been tested in accordance with the European Committee for Standardisation's EN standard.

Be careful not to buy a stove with too many kW, the result may be that you use it with too little air supply so that the combustion is not optimum.

2. Radiation or convection?

The majority of new stoves use convection, where air is circulated between an inner and outer steel mantle. When the air is heated it rises and heats the room. The convectional heat from a stove warms evenly, but requires a stove to be placed physically closer than a radiation stove. Therefore, you must consider where your stove should be installed. Radiation gives a more intense heat and will be suitable for small rooms.

3. Plate steel or cast iron?

Both kinds of materials make excellent stoves and inserts. All HETA's products have both plate steel and cast iron. The allocation set according to durability and design.

4. Steel, ceramic, granite or soapstone?

HETA has a wide selection of finishes from steel, casted tiles, ceramic, soapstone, limestone and sandstone cladding options are available, depending on the model you choose. The choice of material is a matter of style and design, though each material has particular characteristics. A stove made entirely from steel or cast iron warms up faster than a ceramics or stone and it also cools faster when the fire has gone out.

Ceramics and especially soapstone take a little longer to warm up, but stay warm long after the fire has gone out. The slightly larger soapstone stoves stay warm for many hours and can easily keep a room or house nice and warm through the night, so you will not wake up cold in the morning.

5. Which combustion technology should your stove have?

For both financial and environmental reasons, you should always pay attention to how your wood-burning stove burns. Due to the completely unique dimensioning of the firebox and associated airways of HETA stoves, CO₂ and harmful particles are reduced as much as possible. HETA's modern combustion technology is extremely efficient and removes soot particles from the glass door and through the smoke channels. When you light up, a pleasant heat immediately radiates through the large glass panes, and then the convection system soon begins to distribute the heat and cosiness in the room and the adjacent spaces.

Scan-Line 910 + 920B + 920S

Elite and Elegant

*Scan-Line 910
Limestone*



Scan-Line 910, 920B and 920S are part of the Scan-Line 900 series. These models give an elite and elegant impression in your home. The 900 series have a large and robust fire chamber, together with an exceptionally beautiful combustion, which spreads good warmth and coziness.

These three models are available with 360° Soapstone, Greywood or Limestone, so you can clad your stove to suit your home's interior design. With an exclusive handle

and air control that are always pleasant to the touch, soft-close pull-out drawer that hides a 5-liter ash bucket and storage space for your glove or similar. On the entire Scan-Line 900 series you can choose a glass front that highlights the beautiful shapes of the stove and at the same time makes the stove more modern.

Heta's HAC 2.0 technology is available for the entire Scan-Line 900 series. See more about HAC 2.0 on page 9.

Technical info Scan-Line 910 + 920S + 920B



With an impressive weight of 360 kg, the Scan-Line 920S with complete soapstone, will keep your home warm for many hours after the fire has gone out.



Details



Integrated control handles



5 Liter ash bucket



Glas door (optional)



Pull out drawer

More on heta.dk

Oven model	910*	920B*	920S*	options
mm	 A: 258 Ø: 516 H: 1214	 A: 258 Ø: 516 H: 1669	 A: 258 Ø: 516 H: 1669	Greywood Soapstone Limestone
Floor to top outlet mm	1161	1449	1161	
Energy efficiency class	A+	A+	A+	
Nominal kW	6,8	6,8	6,8	
Weight kg	262	342	360	
Fuel volume kg	1,52	1,52	1,52	
Combustion chamber width mm	347	347	370	
Distance to flammable materials				
At the sides mm	400/425	400/425	400/425	
Behind stove mm	50/75	50/75	50/75	
Installed in a 45° corner	50/75	50/75	50/75	
Distance to furniture mm	1000	1000	1000	
Efficiency				
Ecodesign requirement of 75%	83	83	83	
Dust measurement				
Ecodesign requirement of 40 Mg/Nm³ 13% O₂	9	9	9	

*Back outlet not possible Scan-Line 910 / 920B / 920S




Scan-Line 920B
Greywood



HAC 2.0

Scan-Line 900 series & Icon-Line Moderna

 Made in Denmark

Mobile app for Android and iOS

Heta's HAC 2.0 technology can be purchased separately and is easy to control using Heta's app for Android/iOS via Bluetooth.

HAC 2.0 is, first and foremost, a convenient aid in getting the highest possible heating value out of the firewood and, thus, the best possible value for money compared to manual operation. In addition, HAC 2.0 ensures against user error, as the temperature in the firebox will always be perfect.

An indicator is attached to the stove, which uses colour codes (red, yellow and green) to alert you if reignition is necessary or too much firewood has been loaded. The stove's door is equipped with a door sensor that registers when new firewood is added.



Scan-Line 900

Exclusivity throughout

*Scan-Line 900
glass door*



The Scan-Line 900 series is a stunning wood stove with sharp lines where nothing "disturbs" the eye. The exclusive set of handles that are hidden in the stove's curves are designed for easy use and a unique silicone finish to keep them cool for your pleasure.

Scan-Line 900 is no ordinary wood stove, with its impressive large glass, single air control and optional self-closing door allowing you to enjoy the cozy flames in the large combustion chamber. The 900 is

a modern wood stove with all the HETA tradition, an integrated fireplace toolset and a large 5-liter ash bucket is nestled in behind the lower door.

The option of a glass door is available for all models in this impressive series, giving HETA's 900 series modern, stylish design an eloquent look in any home.



Scan-Line 900



Scan-Line 900
soapstone top



Scan-Line 900
soapstone



Scan-Line 900
glass door
soapstone top



Scan-Line 900
blackwood top



Scan-Line 900
blackwood



Scan-Line 900
limestone top



Scan-Line 900
limestone



Scan-Line 900B

With Scan-Line 900B or 900B with side windows, you can relax in the cozy, warm atmosphere while creating your favorite dishes in the baking oven. The large baking oven is equipped with an adjustable rack for convivence, it also has a unique feature which creates convection as well as removes condensation while baking your favorite dishes.



Scan-Line 900B



Scan-Line 900B
soapstone top



Scan-Line 900B
soapstone



Scan-Line 900B
glass door + blackwood



Scan-Line 900B
blackwood top



Scan-Line 900B
blackwood



Scan-Line 900B
limestone top



Scan-Line 900B
limestone



Scan-Line 900S

HETA's Scan-Line 900S or 900S with side windows, is the model for you if you're looking for the most out of your stove's heating capabilities. The Scan-Line 900S models have therma stones, they store the heat as you are firing in your stove. In the combination with one of the three stone finishes soapstone, blackwood or limestone, you will be heating your house for 10-12 hours after the fire has died out.



Scan-Line 900S



Scan-Line 900S
soapstone top



Scan-Line 900S
soapstone



Scan-Line 900S
glass door + soapstone



Scan-Line 900S
blackwood top



Scan-Line 900S
blackwood



Scan-Line 900S
limestone top



Scan-Line 900S
limestone



Scan-Line 900 side windows

With our selection of beautiful stones, you can make your stove a statement in your house like fine décor.

Choose from one of four finishes like soapstone, blackwood, limestone and steel on your Scan-Line 900 with or without side windows.

Scan-Line 900 side windows



Scan-Line 900
side windows
glass door



Scan-Line 900
side windows
blackwood



Scan-Line 900B
side windows



Scan-Line 900B
side windows + glass door
imestone top



Scan-Line 900B
side windows
soapstone



Scan-Line 900S
side windows
soapstone



Scan-Line 900S
side windows
blackwood top











Scan-Line 900S
side windows
limestone

Technical info

900 + 900B + 900S + side windows



Oven model	900	900B	900S	900 side windows	900B side windows	900S side windows	options
mm	 A: 181 B: 515 C: 1060 D: 421 H: 1191 / 1211	 A: 181 B: 515 C: 1330 D: 421 H: 1491 / 1511	 A: 181 B: 515 C: 1060 D: 421 H: 1491 / 1511	 A: 181 B: 515 C: 1060 D: 421 H: 1191 / 1211	 A: 181 B: 515 C: 1330 D: 421 H: 1491 / 1511	 A: 181 B: 515 C: 1060 D: 421 H: 1491 / 1511	 Soapstone  Blackwood  Limestone  Paint black/grey
Floor to top outlet mm	1167	1467	1168	1167	1467	1167	
Energy efficiency class	A+	A+	A+	A+	A+	A+	
Nominal kW	6,8	6,8	6,8	6,6	6,6	6,6	
Weight kg	147 → 201	177 → 243	214 → 298	147 → 186	177 → 227	214 → 264	
Fuel volume kg	1,52	1,52	1,52	1,71	1,71	1,71	
Combustion chamber width mm	347	347	347	347	347	347	
Distance to flammable materials At the sides mm Behind stove mm Installed in a 45° corner	350 175 100	350 175 100	350 175 100	400 150 / 125 200	400 150 / 125 200	400 150 / 125 200	
Distance to furniture mm	1000	1000	1000	900	900	900	
Efficiency Ecodesign requirement of 75%	83	83	83	82	82	82	
Dust measurement Ecodesign requirement of 40 Mg/Nm³ 13% O₂	9	9	9	9	9	9	

Details



Integrated control handles



5 Liter ash bucket and fireside tool set



Glas door (optional)



Side windows

More on hetadk



*Scan-Line 900
soapstone*



Beautiful and convenient

Scan-Line 800 is an ellipse-shaped stove in a smart and stylish design mainly in cast iron on the visible surfaces. Scan-Line 800 beautiful and convenient all at the same time.

Scan-Line 800 series comprises of six different variants at different heights. The models can be supplied with steel, soapstone, sandstone, blackwood, limestone or ceramic cladding.

Available is also accumulating large volumes of heat, a baking oven, swivel models and combustion chambers at different heights.



Scan-Line 800



Scan-Line 800
soapstone top



Scan-Line 800
soapstone



Scan-Line 800
ceramic



Scan-Line 800
sandstone top



Scan-Line 800
sandstone



Scan-Line 800
blackwood



Scan-Line 800
limestone

Scan-Line 810

*Scan-Line 810
limestone*





Scan-Line 810



Scan-Line 810
soapstone top



Scan-Line 810
soapstone



Scan-Line 810
ceramic



Scan-Line 810
sandstone



Scan-Line 810
blackwood



Scan-Line 810
limestone



Scan-Line 810
high top

Scan-Line 820B

Visual attraction in your living room

If you choose Scan-Line 820B with soapstone you have ensured visual attraction in your living room and you can bake at the same time. Soapstone is a beautiful natural material with a fantastic heat accumulation and it stays warm long after the fire has gone out.

*Scan-Line 820B
soapstone*





Scan-Line 820B



Scan-Line 820B
soapstone top



Scan-Line 820B
soapstone



Scan-Line 820B
sandstone



Scan-Line 820B
limestone



Scan-Line 820B
blackwood



Scan-Line 820B
high top



Scan-Line 820B
ceramic

Scan-Line 820S

*Scan-Line 820S
blackwood*





Scan-Line 820S



Scan-Line 820S
soapstone top



Scan-Line 820S
soapstone



Scan-Line 820S
sandstone



Scan-Line 820S
limestone



Scan-Line 820S
ceramic



Scan-Line 820S
blackwood



Scan-Line 820S
high top

**Scan-Line 830 + 830S +
830B + 840B + 840S**



Scan-Line 830XL-B



Scan-Line 830
soapstone top



Scan-Line 830
soapstone



Scan-Line 830XL-B
soapstone



Scan-Line 830XL-B
sandstone top



Scan-Line 840B
ceramic



Scan-Line 840S



Scan-Line 840S
blackwood top



Scan-Line 840S
limestone top

Scan-Line 850



*Scan-Line 850 wall hanging
blackwood top*



Scan-Line 850
rotating pedestal



Scan-Line 850
rotating pedestal
soapstone top



Scan-Line 850
rotating pedestal
soapstone



Scan-Line 850
rotating pedestal
tobacco



Scan-Line 850
rotating pedestal
ceramic



Scan-Line 850
wall hanging



Scan-Line 850
wall hanging
high top



Scan-Line 850
rotating pedestal
limestone top

Scan-Line 800 side windows

*Scan-Line 800M
side windows*



Scan-Line 800 side windows



Scan-Line 800M
side windows



Scan-Line 820MS
side windows



Scan-Line 820MB
side windows



Scan-Line 800
side windows



Scan-Line 820
side windows



Scan-Line 820B
side windows



Scan-Line 850M
rotating pedestal
side windows



Scan-Line 850M
wall hanging
side windows

Scan-Line 800M + 810M + 820MB + 820MS + 850M

Scan-Line 800M



HETA Scan-Line 800M + 810M + 820MB + 820MS + 850M



Scan-Line 800M



Scan-Line 810M



Scan-Line 820MB



Scan-Line 820MS



Scan-Line 850M
rotating pedestal



Scan-Line 850M
wall hanging

Technical info

800 + 810 + 820B + 820S + 830 + 830B + 830S + 840B + 840S



Oven model	800	810	820B* + S	830	830B* + S	840B* + S	Options
mm	 A: 214 B: 548 C: 880 D: 440 H: 1043	 A: 218 B: 548 C: 1162 D: 440 H: 1325 / 1357	 A: 218 B: 548 C: 880 D: 440 H: 1325 / 1357	 A: 218 B: 548 C: 880 D: 440 H: 1639	 A: 218 B: 548 C: 880 D: 440 H: 1639	 A: 218 / 214 B: 548 C: 1162 D: 440 H: 1639 / 1607	Soapstone Blackwood Limestone Tobacco Ceramic 42 colours Paint black/grey
Floor to top outlet mm	1004	1286	1004	1383	1383	1286 / 1577	
Energy efficiency class	A+	A+	A+	A+	A+	A+	
Nominal kW	6,8	6,8	6,8	6,8	6,8	6,8	
Weight kg	113 → 200	130 → 238	137 → 285	190 → 366	190 → 366	S: 147 → 328 B: 159 → 290	
Fuel volume kg	1,5	1,5	1,5	1,5	1,5	1,5	
Combustion chamber width mm	330	330	330	330	330	330	
Distance to flammable materials At the sides mm Behind stove mm	300 125	300 125	300 125	300 125	300 125	300 125	
Distance to furniture mm	900	900	900	900	900	900	
Efficiency Ecodesign requirement of 75%	81	81	81	81	81	81	
Dust measurement Ecodesign requirement of 40 Mg/Nm³ 13% O₂	24	24	24	24	24	24	

*Back outlet not possible Scan-Line 820B / 830B / 840B

Details



8 Liter ash bucket



Fireside tool set



Optimal combustion

















Baking oven

More on hetu.dk

Technical info

850 + 800 side windows + 800M + 810M + 820MB + 820MS + 850M

								Options
Oven model	850 wall	800 side windows	800M	810M	820MB*	820MS	850M	
mm	 A: 242 B: 548 / 560 C: 516 D: 468 / 469 H: 682 / 711	 A: 214 B: 547 / 560 C: 880 D: 440 / 445 H: 1043 / 1075	 A: 214 B: 467 C: 880 D: 440 H: 1043	 A: 214 B: 467 C: 880 / 1162 D: 440 H: 1325	 A: 214 B: 548 C: 880 D: 440 H: 1325	 A: 214 B: 548 C: 880 D: 440 H: 1325	 A: 218 B: 560 C: 885 D: 445 H: 1035	 Soapstone  Blackwood  Limestone  Tobacco  Ceramic 42 colours  Paint black/grey
Floor to top outlet mm	640	1004	1004	1004 / 1286	1004 / 1295	1004 / 1295	996 / 1013	
Energy efficiency class	A+	A	A+	A+	A+	A+	A+	
Nominal kW	6,8	6	6,8	6,8	6,8	6,8	6,8	
Weight kg	102 → 158	119 → 128	113	122 → 137	137 → 285	137 → 285	112 → 168	
Fuel volume kg	1,5	1,5	1,5	1,5	1,5	1,5	1,5	
Combustion chamber width mm	330	330	330	330	330	330	330	
Distance to flammable materials								
At the sides mm	300	450	340	340	300	300	300	
Behind stove mm	125	130	125	125	125	125	125	
Distance to furniture mm	900	850	900	900	900	900	900	
Efficiency Ecodesign requirement of 75%	81	80	81	81	81	81	81	
Dust measurement Ecodesign requirement of 40 Mg/Nm³ 13% O₂	24	6	24	24	24	24	24	

*Back outlet not possible Scan-Line 820MB

Details



8 Liter ash bucket



Fireside tool set



Side windows



Baking oven

More on heta.dk

Effective combustion

The environment and our common future are very important to us. For many years, HETA has worked intensively on more environmentally-friendly production of clean-burning wood-burning stoves that place the least possible burden on the environment.

All HETA stoves have an impressively high degree of efficiency, so you get more out of your firewood, and polluting gases are burned off as much as possible before they leave the chimney.

HETA's stoves are some of the cleanest burning stoves in Europe. All ovens are tested according to current European standards and the new Ecodesign regulations. HETA's completely unique combustion chambers and airways mean that CO₂ and harmful particles are reduced as much as possible.

What is Ecodesign?

The Ecodesign, is a regulation to ensure a wood stove conforms to the strict regulations in Europe. Since before Ecodesign, HETA has only developed and tested stoves to this standard, meaning any HETA stove sold today conforms to the Ecodesign standard. Giving you peace of mind when enjoying the cozy warm by your HETA wood, pellet or gas stove.

There is more to read on heta.dk





HETA's combustion technology


HETA's combustion technology means that the combustion air flows easily and is supplied to the combustion without resistance. The preheated tertiary air supply burns a large amount of gases before the smoke goes up the chimney. Hot convection air is the air that is distributed into the surrounding rooms and, together with the radiant heat from the glass pane, constitutes the direct source of heat.

The heat is better exploited, and you can enjoy the view of the flames through the large glass window in the door – completely without soot.

The completely unique dimensioning of the fire chamber and associated airways of HETA stoves means that CO₂ and harmful particles are reduced as much as possible.

HETA's modern combustion technology is extremely efficient and removes soot particles on the glass door and through the smoke channels. When you light up, a pleasant heat immediately radiates through the large glass panes, and then the convection system soon begins to distribute the heat and cosiness in the room and the adjacent spaces.

Many of our products also have accumulation stones – soapstone, sandstone, granite or ceramic – that retain heat over many hours and slowly release it.



Black = primary
Green = secondary
Blue = tertiary
White = flue gas
Orange = convection air

Scan-Line 8

Small and smart

With its circular design, Scan-Line 8 generates attention in any home. Scan-Line 8 has a diameter of just 44 cm, a height of 100 cm and works well in many rooms in various different types of home. Scan-Line 8 is available in different materials and designs and has numerous smart functions.

With Scan-Line 8 you get an award-winning stove that has won the title of best wood-burning stove up to 5 kW at the Hearth & Home exhibition in England, as well as the Eco Stove Plus 2018 award due to the stove's low level of PM dust at 13% oxygen of $< 3 / \text{m}^3$.

*Scan-Line 8
soapstone / copper trims*



Scan-Line 8
casted sides
silver trims



Scan-Line 8
casted sides
red trims



Scan-Line 8
casted sides + soapstone top
black trims



Scan-Line 8
casted sides + soapstone top
copper trims



Scan-Line 8
soapstone
black trims



Scan-Line 8
soapstone
silver trims



Scan-Line 8
soapstone
copper trims



Scan-Line 8
soapstone
red trims



Scan-Line 8
grey



Scan-Line 8
soapstone top



Scan-Line 8
side windows



Scan-Line 8
side windows
soapstone top

Technical info

8 + side windows



Oven model	8	8 side windows	Options
mm	<p>A: 222 B: 445 C: 875 D: 445 H: 1011 / 1029</p>	<p>A: 222 B: 445 C: 875 D: 445 H: 1011 / 1029</p>	<p>Soapstone</p> <p>Paint black/grey</p>
Floor to top outlet mm	981	981	Only soapstone top on side windows
Energy efficiency class	A+	A+	
Nominal kW	4,7	4,7	
Weight kg	100 → 135	105 → 110	
Fuel volume kg	1,1	1,1	
Combustion chamber width mm	300	300	
Distance to flammable materials At the sides mm Behind stove mm	350 120	400 100	
Distance to furniture mm	850	700	
Efficiency Ecodesign requirement of 75%	81	81	
Dust measurement Ecodesign requirement of 40 Mg/Nm³ 13% O₂	<3	<3	



Details



5 Liter ash bucket
Soft close



Air regulation
and handle



Swivel plate
and fresh air



Colored trims

More on heta.dk



*Scan-Line 8
side windows
soapstone top*

Scan-Line 1000

Accommodates pieces of wood up to 50 cm

Cannot be bothered chopping wood? Then Scan-Line 1000 must move in with you. HETA's large stove Scan-Line 1000 can accommodate large pieces of wood up to 50 centimetres.

HETA Scan-Line 1000 is robust without filling the room. The stove is built in heavy steel and cast iron and has almost unmatched possibilities for collecting and releasing heat. Behind the lower door you will find the large eight-litre ash pan and there is of course also your fireside tool set.

Product data

- > 50 cm wood
- > Fireside tool set
- > 8 Liter ash bucket
- > Automatic closing



*Scan-Line 1000S
soapstone*



Scan-Line 1000



Scan-Line 1000
soapstone top



Scan-Line 1000
soapstone



Scan-Line 1000
blackwood top

Scan-Line 1000B + 1000S



Scan-Line 1000S



Scan-Line 1000S
soapstone top






Scan-Line 1000B
soapstone



Scan-Line 1000B
blackwood

Technical info 1000 + 1000S + 1000B



Oven model	1000	1000S	1000B	Options
mm	 <p>A: 243 B: 767 C: 801 D: 476 H: 945 / 958</p>	 <p>A: 243 B: 767 C: 801 D: 476 H: 1305 / 1292</p>	 <p>A: 243 B: 767 C: 1166 D: 476 H: 1305 / 1292</p>	<div> <div></div> <div>Soapstone</div> </div> <div> <div></div> <div>Blackwood</div> </div> <div> <div></div> <div>Paint black/grey</div> </div>
Floor to top outlet mm	919	919 / 1260	919 / 1260	
Energy efficiency class	A+	A+	A+	
Nominal kW	7,7	7,7	7,7	
Weight kg	176 → 244	302 → 391	231 → 319	
Fuel volume kg	1,8	1,8	1,8	
Combustion chamber width mm	550	550	550	
Distance to flammable materials				
At the sides mm	425	425	425	
Behind stove mm	120	120	120	
Distance to furniture mm	1300	1300	1300	
Efficiency				
Ecodesign requirement of 75%	85	85	85	
Dust measurement				
Ecodesign requirement of 40 Mg/Nm³ 13% O₂	8	8	8	

Details



Integrated control handles



8 Liter ash bucket and fireside tool set



Large baking stove



Therma-stones

More on [heta.dk](#)

Scan-Line 500 + 510

A choice of many models

Scan-Line 500 + 510 + 520B series is based on the steel models, available in 8 different versions.

These are supplemented by soapstone tops, complete soapstone, complete blackwood and ceramic models in 42 different colours, which can be freely combined just as you dream about.

The combustion chamber can accommodate a lot of wood, and the Scan-Line 500 series naturally meets all current regulatory requirements, thanks to HETA's modern combustion technology.

*Scan-Line 510
soapstone*

Product data

- > A choice of many materials and colours
- > Unrivalled combustion
- > Large and deep combustion chamber





Scan-Line 500



Scan-Line 500
soapstone top



Scan-Line 500
soapstone



Scan-Line 500
ceramic



Scan-Line 510



Scan-Line 510
soapstone top



Scan-Line 510
soapstone



Scan-Line 510
blackwood



Scan-Line 520B



Scan-Line 520B
soapstone



Scan-Line 520B
blackwood



Scan-Line 520B
ceramic



Scan-Line 520W
ceramic



Turin
soapstone



Turin B
soapstone



Napoli
soapstone

Scan-Line 520B + 520W + Turin + Napoli

HETA classics

Scan-Line Napoli and Scan-Line Turin are HETA classics. Both stoves have a generous soapstone or ceramic cladding. Scan-Line Napoli and Scan-Line Turin are available in as many as 42 different colours in the ceramic range. The soapstone provides extensive heat release over time.

Product data


















- > Beautiful ellipseshaped model
- > Choose among many different claddings
- > The soapstone provides extensive heat release over time

*Scan-Line Turin
soapstone*



Technical info

500 + 510 + 520B + 520W + Turin + Napoli

							
Oven model	500	510	520B* + W	Options	Turin + Turin B*	Napoli	Options
mm	 A: 141 / 147 B: 504 / 570 C: 794 D: 468 / 498 H: 1010 / 1030	 A: 141 B: 504 C: 974 / 794 D: 468 H: 1190	 A: 141 / 147 B: 504 / 570 C: 794 D: 468 / 498 H: 1190 / 1210	 Soapstone  Blackwood  Ceramic 42 colours  Paint black/grey Only complete blackwood on Scan-Line 510 / 520B	 A: 157 B: 614 C: 836 D: 486 H: 1302	 A: 157 B: 614 C: 836 D: 486 H: 1056	 Soapstone  Ceramic 42 colours  Paint black/grey
Floor to top outlet mm	930	1110	1163		1257	972	
Energy efficiency class	A+	A+	A+		A+	A+	
Nominal kW	6	6	6		6	6	
Weight kg	108 → 185	115 → 214	134 → 229		186 → 268	142 → 213	
Fuel volume kg	1,24	1,24	1,24		1,24	1,24	
Combustion chamber width mm	340	340	340		340	340	
Distance to flammable materials At the sides mm Behind stove mm	350 150	350 150	350 150		350 150	350 150	
Distance to furniture mm	1000	1000	1000		1000	1000	
Efficiency Ecodesign requirement of 75%	82	82	82		82	82	
Dust measurement Ecodesign requirement of 40 Mg/Nm³ 13% O₂	16	16	16		16	16	

*Back outlet not possible Scan-Line 520B / Turin B

Details



8 Liter ash bucket



Cast iron door



Optimal combustion



Baking oven

More on hetu.dk

Scan-Line 550 + 551 + 560B + 560S + 590



Scan-Line 560B



Scan-Line 560S



Scan-Line 551








Scan-Line 590

Technical info

550 + 551 + 560B + 560S + 590




Oven model	550 + 551	560B* + S	590	options
mm	 A: 148 B: 476 / 558 C: 921 D: 402 H: 1117	 A: 148 B: 476 C: 922 D: 402 H: 1533	 A: 148 B: 504 C: 794 D: 468/469 H: 1285/1295	 Paint black/grey  Soapstone Top SL 590
Floor to top outlet mm	1058	1058 / 1291	1285	
Energy efficiency class	A+	A+	A+	
Nominal kW	6	6	6	
Weight kg	117	234 → 191	135	
Fuel volume kg	1,24	1,24	1,24	
Combustion chamber width mm	340	340	340	
Distance to flammable materials At the sides mm Behind stove mm	350 150	350 150	350 150	
Distance to furniture mm	1000	1000	1000	
Efficiency Ecodesign requirement of 75%	82	82	82	
Dust measurement Ecodesign requirement of 40 Mg/Nm³ 13% O₂	16	16	16	

*Back outlet not possible Scan-Line 560B



Details



8 Liter ash bucket



Cast iron door

More on heta.dk

Scan-Line 7B

Compact, modern design

Scan-Line 7 is available in many options from the traditional steel stove to a combination with either soapstone or blackwood. Scan-Line 7 can be wall-hung or mounted on a pedestal with a swivel function.

The Scan-Line 7 series is the perfect stove for smaller heating requirements.

*Scan-Line 7B
soapstone*





Scan-Line 7B



Scan-Line 7B
soapstone top



Scan-Line 7B
soapstone



Scan-Line 7B
blackwood



Scan-Line 7B
log store



Scan-Line 7C
soapstone top



Scan-Line 7D
blackwood top
rotating pedestal










Scan-Line 7L
log store

Technical info

7B + C + D + L



Oven model	7B	7C	7D	7L	Options
mm	 <p>A: 196 B: 462 C: 698 D: 415 H: 880</p>	 <p>A: 220 B: 462 C: 525 D: 440 H: 710</p>	 <p>A: 196 B: 462 C: 883 / 896 D: 415 H: 1063 / 1076</p>	 <p>A: 195 / 196 B: 462 / 470 C: 541 D: 415 / 416 H: 725 / 754</p>	<div>  Soapstone  Blackwood  Paint black/grey </div> <div>Only complete blackwood on 7B</div>
Floor to top outlet mm	812	640	994 / 1013	656	
Energy efficiency class	A+	A+	A+	A+	
Nominal kW	4,5	4,5	4,5	4,5	
Weight kg	96 → 149	93 → 105	103 → 118	88 → 100	
Fuel volume kg	1	1	1	1	
Combustion chamber width mm	306	306	306	306	
Distance to flammable materials At the sides mm Behind stove mm	100 100	100 non flammable wall	100 100	100 100	
Distance to furniture mm	800	800	800	800	
Efficiency Ecodesign requirement of 75%	83	83	83	83	
Dust measurement Ecodesign requirement of 40 Mg/Nm³ 13% O₂	15	15	15	15	

Details



8 Liter ash bucket



3 Liter ash bucket



Rotating pedestal



Optimal combustion

More on heta.dk

Stone options

Soapstone


Soapstone looks fascinating, but it also stores large inner values. Soapstone keeps the heat long after the fire has gone out. Soapstone releases the heat very slowly and consistent to the room. After only 2-3 fillings the slightly larger soapstone stoves keep the room heated for up to 14 hours, so you do not get up cold in the morning. Soapstone is a 3 billion years old mineral available in different hardness and colours. HETA's soapstone is grey, but due to the fantastic play of colours not two stones are identical.



Soapstone is available for Scan-Line 900 / 900 side windows series, Scan-Line 800 series (not M models), Scan-Line 800 side windows models only the top (not M models), Scan-Line 500 series, Scan-Line 7 series, Scan-Line 8 series, Scan-Line 1000 series, Scan-Line 80 series, Scan-Line 40/50, Scan-Line 10, 20, 30, Scan-Line Green 250/150, Napoli and Turin.

Sandstone and Blackwood

Sandstone keeps the heat long after the fire has gone out. Sandstone also gives your stove character. Sandstone is available in many different colours. Some sandstone looks like wood with structure and grains. HETA's sandstone comes from the Himalaya mountains at around the 2900 meters elevation. Sandstone is a fine-grained natural stone tied together by quartz sand. The fantastic play of colours in the stone comes from compaction through billions of years and surface flow. Thus, not two stones are equal.



Tobacco sandstone is available for Scan-Line 800 series (not M models), Scan-Line 800 side windows models only the top (not M models), Scan-Line Green 250. Blackwood is available for Scan-Line 800 series (not M models), Scan-Line 800 side windows models only the top (not M models), Scan-Line 1000 series, Scan-Line Green 250, Scan-Line 900 / 900 side windows series, Scan-Line 510/520B complete blackwood only and Scan-Line 7B.

Ceramic

Ceramic tiles keep the heat long after the fire has gone out. The tiles also give your stove character. You can choose among 42 different colours. You can combine the colours to precisely suit your wish and your housing style.



Ceramic tiles are available for Scan-Line 800 series, Scan-Line 500 series, Scan-Line Tour 10, 20, 30, Napoli and Turin.

Limestone

Limestone is a natural stone crafted over millions of years. Limestone has been used throughout the ages, from buildings to sculptures and now it is available on selected HETA stoves and pellet stoves. HETA's Limestone will give your stove a unique appearance, as well as hold the heat from the fire, releasing it slowly after the fire has gone out. Limestones Travertine like appearance, is stylish and timeless, fitting perfectly into your homes design.



Limestone is available for Scan-Line 800 (not M models), Scan-Line 800 side windows models only the top (not M models), Scan-Line Green 250, Scan-Line 900 series.

Ambition 5 + 8



Ambition 5

Enjoy the flames

Sit back relax and enjoy your wood burning experience with a HETA Ambition 5 or 8. Featuring a larger glass for viewing the mesmerizing flames. HETA's Clean Burn combustion controlled by a single lever, giving you superior control.

The Ambition 5 and 8 also has an easy to assemble log store, that can be purchased separately. Giving you the option to enjoy this impressive stove in any house.



Ambition 5



Ambition 5
log store



Ambition 5
log store with door



Ambition 8



Ambition 8
log store

Inspire 40 + 45 + 55

A versatile stove

Inspire has clean lines and exquisite materials and is ideal in any home and decor. Inspires are perfect for small, modern rooms and traditional country cottages or cabins. The Inspires combustion is very easy to control and combustion performance is excellent from as low as 3 kW.

The wide combustion chamber in Inspire 55 and Inspire 55 high gives a beautiful panoramic view of the flames plus lots of room for the wood. The large glass window provides extensive heat release to the room and makes Inspire 55 a very versatile stove. Inspire 55 is available with integrated log store.

Product data

- > 50 cm wood
- > Available as high and low series

Inspire 55





Inspire 40



Inspire 45



Inspire 55



Inspire 40
log store



Inspire 45
log store



Inspire 55
log store



Inspire 55HK

With cooking plate









The Inspire 55H with cooking plate, is a stove for heating and cooking. The highlight is the 42 x 16 cm polished and raised cooking plate, which is integrated in the top plate and offers space for several pots. On this you can boil water and prepare all delicious dishes, like on a kitchen stove.

The Inspire 55H with cooking plate is not only a wonderful heat source, but can also be used as a cooking area.

The large viewing window offers a cozy atmosphere, rounded off by a built in wood storage compartment.

Technical info

Ambition 5 + 8 + Inspire 40 + 45 + 55 + 55HK

Oven model	Ambition 5	Ambition 8	Inspire 40	Inspire 45	Inspire 55	Inspire 55HK	Options
mm	 <p>A: 137 B: 550 C: 516 / 817 D: 345 H: 619 / 920</p>	 <p>A: 137 B: 550 C: 516 / 817 D: 416 H: 619 / 920</p>	 <p>A: 113 B: 460 C: 467 / 737 D: 367 H: 584 / 855</p>	 <p>A: 116 B: 540 C: 451 / 751 D: 377 H: 555 / 855</p>	 <p>A: 130 B: 642 C: 451 / 807 D: 403 H: 555 / 910</p>	 <p>A: 130 B: 642 C: 451 / 807 D: 403 H: 555 / 910</p>	 Soapstone  Paint black/grey
Floor to top outlet mm	619	619	596 / 866	566 / 866	566 / 921	566 / 921	
Energy efficiency class	A+	A	A+	A+	A	A	
Nominal kW	5	6,5	4,5	4,9	6,3	6,3	
Weight kg	98 → 113	110 → 131	74 → 92	80 → 106	108 → 131	108 → 131	
Fuel volume kg	1,2	1,8	1,1	1,2	1,5	1,5	
Combustion chamber width mm	470	482	370	424	560	560	
Distance to flammable materials At the sides mm Behind stove mm	400 200	400 225	340 / 400 120 / 190	300 / 300 195 / 150	420 220 / 150	420 220 / 150	
Distance to furniture mm	1100	1100	900	860	1200	1200	
Efficiency Ecodesign requirement of 75%	85	80	81	84	80	80	
Dust measurement Ecodesign requirement of 40 Mg/Nm³ 13% O₂	16	23	27	13	28	28	Only soapstone top Inspire 45

Details



Quality cast iron



Air regulation



Top outlet



Cooking plate

More on heta.dk

Scan-Line 80XL + 80XL-B

Heat for many hours

Scan-Line 80XL-B and 80XL generate attention in every home. Scan-Line 80XL-B and Scan-Line 80XL consist of large solid soapstone or ceramic tiles. Scan-Line 80XL-B and 80XL is based on HETA's popular Scan-Line 800 combustion chamber which operates efficiently down to 3 kW.

Scan-Line 80XL-B and 80XL comes with two large heat storage stones. Together with the tiles it will store the heat for many hours after the last firing. Scan-Line 80XL-B has the same fine quality as 80XL.

Product data

- > Generates attention
- > Modern design
- > Generates heat for many hours
- > Large ash bucket
- > Extra storage room

*Scan-Line 80XL
soapstone*





Scan-Line 80XL
soapstone







Scan-Line 80XL-B
soapstone

Technical info


80XL + 80XL-B



Oven model	80XL	80XL-B*	Options
mm	 <p>A: 302 B: 605 C: 1014 D: 585 H: 1793</p>	 <p>A: 302 B: 605 C: 1014 D: 585 H: 1793</p>	
Floor to top outlet mm	1521	1521	 Soapstone  Paint black/grey
Energy efficiency class	A+	A+	
Nominal kW	6,8	6,8	
Weight kg	271 → 395	271 → 395	
Fuel volume kg	1,5	1,5	
Combustion chamber width mm	330	330	
Distance to flammable materials			
At the sides mm	300	300	
Behind stove mm	125	125	
Distance to furniture mm	900	900	
Efficiency Ecodesign requirement of 75%	81	81	
Dust measurement Ecodesign requirement of 40 Mg/Nm ³ 13% O ₂	24	24	

*Back outlet not possible Scan-Line 80XL-B

Details



8 Liter ash bucket



Pull out drawer

More on heta.dk

Scan-Line 40 + 40B + 50 + 50B

Clean lines

Scan-Line 40 + 50 attracts attention with its beautiful strong design. You can use Scan-Line 40 + 50 as a traditional stove and it will heat a room up relatively quickly. Or you can close off the convection and use the thermal mass principle, allowing the 500 kg of soapstone to slowly release the heat over many hours.



Product data

- > Strong design
- > Generates heat for many hours
- > Perfect combustion
- > Available in Blackwood or Soapstone

Scan-Line 40



Technical info

40 + 40B + 50 + 50B



Scan-Line 40
blackwood



Scan-Line 40B
soapstone





Scan-Line 50
soapstone




Scan-Line 50B
soapstone



Oven model	40 + B	50 + B	Options
mm	 <p>A: 205 B: 530 C: 916 D: 450 H: 1605</p>	 <p>A: 205 B: 530 C: 1431 / 1946 D: 450 H: 2120</p>	<p>></p> <p>Soapstone</p> <p>Blackwood</p> <p>Paint black/grey</p>
Floor to top outlet mm	1054	1054 / 1287	
Energy efficiency class	A+	A+	
Nominal kW	6	6	
Weight kg	420 → 482	566 → 584	
Fuel volume kg	1,24	1,24	
Combustion chamber width mm	340	340	
Distance to flammable materials			
At the sides mm	350	350	
Behind stove mm	150	150	
Distance to furniture mm	1000	1000	
Efficiency Ecodesign requirement of 75%	82	82	
Dust measurement Ecodesign requirement of 40 Mg/Nm ³ 13% O ₂	16	16	

Details



8 Liter ash bucket



Pull out drawer

More on heta.dk

Scan-Line 10 + 20 + 20B + 30 + 30B

Two in-one stove

Scan-Line 20B/30B is a modern thermal mass stove. You will heat a room up relatively quickly and then the 450-614 kg of soapstone and thermal stones will slowly release the heat over many hours. Allowing you to get a longer heating period out of your stove.

Product data

- > Round design
- > Generates heat for many hours
- > Can also be used as a traditional stove

Scan-Line 30B





Scan-Line 10



Scan-Line 20



Scan-Line 20B



Scan-Line 30



Scan-Line 30B



Scan-Line 30B
high

Scan-Line Tour 10 + 20 + 30

Top-class quality

Scan-Line Tour 10, 20 and 30 can all be equipped with extra heat accumulating stones inside the beautiful ceramic tiles. The combination of convection air, the accumulation of heat in ceramics and the heat accumulating stones, in all three models. This means that you both get the spreading of heat while the stove burns and then storage of heat released overnight.

Product data

- > Throughout quality
- > Sensational design
- > Generates heat for many hours

Scan-Line Tour 30



Scan-Line Tour 10















Scan-Line Tour 20



Scan-Line Tour 30

Technical info

10 + 20 + 20B+ 30 + 30B + Tour 10 + Tour 20 + Tour 30

								
Oven model	10	20 + B	30 + B	options	Tour 10	Tour 20	Tour 30	options
mm	 A: 264 Ø: 640 C: 1068 H: 1261	 A: 264 Ø: 640 C: 1330 H: 1523	 A: 264 Ø: 640 C: 1592 H: 1785	 Soapstone  Paint black/grey	 A: 310 Ø: 620 H: 1380	 A: 310 Ø: 620 C: 1298 H: 1684	 A: 310 Ø: 620 C: 1602 H: 1988	 Ceramic 42 colours  Paint black/grey
Floor to top outlet mm	952	952	952		978	978	978	
Energy efficiency class	A+	A+	A+		A+	A+	A+	
Nominal kW	66	6	6		6	6	6	
Weight kg	451	519	614		254	292	330	
Fuel volume kg	1,24	1,24	1,24		1,24	1,24	1,24	
Combustion chamber width mm	340	340	340		340	340	340	
Distance to flammable materials At the sides mm Behind stove mm	350 150	350 150	350 150		350 150	350 150	350 150	
Distance to furniture mm	1000	1000	1000		1000	1000	1000	
Efficiency Ecodesign requirement of 75%	82	82	82		82	82	82	
Dust measurement Ecodesign requirement of 40 Mg/Nm³ 13% O₂	16	16	16		16	16	16	

Details



Ash bucket



Beautiful ceramic tiles



Optimal combustion



Baking oven

More on hetadk

Thermal mass stoves

Stay warm for many hours

Draw admiring glances while you stay warm! HETA's exclusive thermal mass stoves draw generate attention and fulfil all your wishes. You can use the thermal mass stove as a traditional stove with quick heating, or you can take advantage of the thermal mass stove and let it release the heat slowly over many hours.

By having a HETA thermal mass stove in your home you also save wood, as our thermal mass stove stores the heat for up to 18 hours. Our therma-stones are made of a special material based on concrete which absorb the heat particularly well and release the heat over a longer period.

There is more on heta.dk



Scan-Line 1000S

Scan-Line 800
therma-stones




Scan-Line 50



Scan-Line 830S

Comparing therma capacity



Scan-Line 95 + 100

Scan-Line 95H

Spread the coziness

Scan-Line 95 + Scan-Line 100 are beautiful and give extensive heat release and coziness. The stove seems almost to float on air and if you choose the model with swivel pedestal you can spread the heat and mesmerising coziness exactly where you want it. The unique and new combustion technique provides an amazing combustion.

Product data

- > Panoramic view of the flames
- > Elegant closing mechanism
- > Fantastic combustion



Scan-Line 95



Scan-Line 95H
log store



Scan-Line 95
rotating pedestal



Scan-Line 100
rotating pedestal






Scan-Line 100
short bench



Scan-Line 100
long bench



Oven model	95	100	Options
mm	 <p>A: 151 B: 760 C: 739 / 754 D: 433 H: 1007 / 1022</p>	 <p>A: 151 B: 1019 C: 742 / 758 D: 433 H: 1007 / 1022</p>	
Floor to top outlet mm	943 / 961	883 / 901	 <p>Paint black/grey</p>
Energy efficiency class	A	A+	
Nominal kW	7,2	9,9	
Weight kg	142	172	
Fuel volume kg	1,9	2,3	
Combustion chamber width mm	548 / 462	808 / 730	
Distance to flammable materials			
At the sides mm	350	250	
Behind stove mm	150	100	
Distance to furniture mm	1100	1200	
Efficiency Ecodesign requirement of 75%	80	81	
Dust measurement Ecodesign requirement of 40 Mg/Nm ³ 13% O ₂	28	15	

Prestige A + B + C

Clean and strong design

Prestige matches modern interior design and having windows on up to three sides you can enjoy the view of the flames from all angles. Prestige is available in four different models. You get an elegant solution in your home no matter which model you choose. The design is clean and strong and matches modern interior design.

All visible sides are made from cast iron and at the same time, the frames around the convection box can be customized. The door is opened and closed soundless with the discrete handle, and you can decide on which side the handle is placed.

Prestige C



Product data

- > Can be customized
- > Optional windows on three sides



Prestige A



Prestige BR



Prestige BL



Prestige C



Panorama + Panorama XL

Almost like a painting

Panorama gives you an exceptional panoramic view of the flames. The fire insert is easy to operate, and the large, stylish panoramic window with an almost hidden control handle is beautiful and looks almost like a piece of art hanging on the wall.

Panorama is available with customized front frames that fits into your home precisely.

Product data

- > Modern design
- > Hidden control handles
- > Can be customized



Panorama



Panorama XL



Vista

Modern and compact

HETA's Vista insert is a modern compact insert, with a panoramic view of enchanting flames through the wide glass door. With HETA's signature single air control, Vista's combustion is easy to control, giving you the heat or cozy atmosphere, you desire.

Along with ease of control the Vista has a stylish integrated door handle and self-latching door, making lighting and re-fueling your Vista enjoyable.

Vista is the perfect insert for new homes and designed to be placed in most existing open fireplaces,

its measurements are as follows Width 694 mm, Height 489 mm and Depth 453 mm.

You have the option of a stylish frame, custom frame or installing it frameless, thanks to the Vista's 3 mm ridged convection case.

If your installation requires direct air, an optional fresh air connector can be purchased separately.



Vista



Vista S

Classic 1 + 2



Classic 2

Beautiful view of the flames

Classic with its clean lines merges into the modern and stylish home. You have a beautiful view of the flames through the panoramic window.

Product data

- > Modern design
- > Hidden control handles
- > Panoramic window



Classic 1



Classic 2



Small and robust

Enjoy the flames in our trendy fire inserts Inspire or Scan-Line 550. HETA's clean burn combustion technique, controlled by one single handle, gives you a perfect view through the clear portrait window. Inspire and Scan-Line 550 are the perfect choices for smaller rooms or a cozy moment.

Product data

- > Small and high
- > Good for smaller rooms



Inspire 40
floor



Inspire 40
floor




Inspire 40
wall




Inspire 40
wall

Builders hole measurments


Vista



Prestige




Panorama




Classic

Classic 1




Classic 2




Inspire

Inspire floor model and wall model
















Inspire hidden wall model



Technical info

Prestige A + B + C + Panorama + XL + Vista + S

							<div> <div></div> <div>Options</div> <div>  <div>Paint black/grey</div> </div> </div>
Oven model	Prestige A	Prestige B	Prestige C	Panorama + XL	Vista	Vista S	
mm	 A: 294 B: 752 D: 463 H: 501	 A: 295 B: 731 D: 480 H: 501	 A: 294 B: 710 D: 480 H: 501	 A: 324 / 275 B: 778 / 1038 C: 322 / 313 D: 445 / 437 H: 647	 A: 289 / 304 (30°) B: 748 C: 439 (30°) D: 450 H: 543	 A: 198 / 213 (30°) B: 748 C: 444 (30°) D: 357 H: 450	
Floor to top outlet mm	-	-	-	-	-	-	
Energy efficiency class	A	A	A	A	A+	A	
Nominal kW	8,5	8,5	8,5	7,2 / 9,9	7,4	5	
Weight kg	92	96	101	112 / 145	106	87	
Fuel volume kg	2,1	2,1	2,1	1,9 / 2,3	1,76	1,25	
Combustion chamber width mm	614	614	614	548 / 462 808 / 730	544	440	
Distance to flammable materials							
At the sides mm	-	-	-	-	110	300	
Behind stove mm	-	-	-	-	150	75/150	
Distance to furniture mm	1100	1100	1100	1100 / 1200	1100	1100	
Efficiency Ecodesign requirement of 75%	79	79	79	81	81	79	
Dust measurement Ecodesign requirement of 40 Mg/Nm³ 13% O₂	23	23	23	15	12	13	

Details



Craftsmanship



Air regulation



Integrated control handles










Optimal combustion

More on heta.dk

Technical info

Classic 1 + 2 + Inspire 40 wall + floor

					 options
Oven model	Classic 1	Classic 2	Inspire 40 wall	Inspire 40 floor	
mm	 A: 315 / 332 (30°) B: 735 D: 460 H: 601	 A: 315 / 332 (30°) B: 735 D: 460 H: 543	 A: 229 / 289 (45°) B: 501 D: 345 H: 598	 A: 229 / 289 (45°) B: 481 D: 345 H: 578	 Paint black/grey
Floor to top outlet mm	-	-	-	-	
Energy efficiency class	A+	A+	A+	A+	
Nominal kW	7,4	7,4	5	5	
Weight kg	94	88	67 → 80	67 → 80	
Fuel volume kg	1,7	1,7	1	1	
Combustion chamber width mm	510	510	330	330	
Distance to flammable materials					
At the sides mm	-	-	-	-	
Behind stove mm	-	-	210	210	
Distance to furniture mm	1200	1200	900	900	
Efficiency Ecodesign requirement of 75%	81	81	84	84	
Dust measurement Ecodesign requirement of 40 Mg/Nm³ 13% O₂	31	31	9	9	

Details



Control handles



Handle



Different frames



Optimal combustion

More on heta.dk

Scan-Line 805 Aqua



*Scan-Line 805 Aqua
soapstone top*

Aqua oven

Scan-Line 805 Aqua has specially sealed stove glass, significantly reducing radiated heat in the room. The beautiful flame presentation and high 87% efficiency reflects the innovative development work.

Give free rein to your imagination and exploit what they have to offer. The Scan-Line 800 aqua series comes with a safety valve for connection to existing systems. When connecting the stove, please ensure it has the ideal circulation pump flow rate of 140 litres/hour and that the existing

system is equipped with a safety valve which activates if the water pressure exceeds 2.5 bar.

The optional aqua kit prevents corrosion in the heat exchanger, as the return flow temperature is increased via the thermal three-way valve (bypass). The continual adjustment of a constant return water temperature ensures smooth combustion and optimal energy utilisation.

The aqua kit is an optional extra and is not included in the stove price.



Scan-Line Aqua 805




Scan-Line Aqua 805
soapstone

Technical info Scan-Line Aqua 805



∨


Options




Soapstone



Paint
black/grey

Oven model	Aqua 805
mm	 <p>A: 275 B: 576 C: - D: 506 H: 1216/1213</p>
Energy efficiency class	A+
Nominal kW	8,7
Weight kg	212 → 289
Distance to flammable materials	
At the sides mm	175
Behind stove mm	22
Distance to furniture mm	750
Efficiency Ecodesign requirement of 75%	87
Dust measurement Ecodesign requirement of 40 Mg/Nm³ 13% O₂	22



Optimal combustion

HETA Automatic Combustion

HETA makes it easy to fire correctly with HETA Automatic Combustion. The automatically-controlled air supply means that you just have to add wood to your stove to achieve optimum combustion. After filling up, HETA Automatic Combustion tells you when to fire again.

The module can be set to three different temperature levels. When HETA Automatic Combustion is set at a temperature level, the stove burns optimally – fully automatically.

You get a detailed overview of the combustion with HETA Automatic Combustion. The module is built into the stove and has a freestanding display giving you all the information you need.



HETA Automatic Combustion is available for Scan-Line 8, 500, 800, 900, 1000, 80, 40/50, 10-20-30.

Firewood baskets



Ø50 x H30 cm



Ø40 x H30 cm



Ø30 x H30 cm



Ø35 x H20 cm

Accessories



Fresh air kit

External wall pipe and vent, 1.5 m flex pipe. Insulation, heat tape, 2 clamps.




Graphite spray

for lubrication.



Glass cleaner

HETA's glass cleaner is specially formulated to not harm your glass, while making it easy to clean.



Swivel plates

HETA's turntable plates gives you the ability to view your stove 120, 180 or 360 degrees.



Door, gasket set

If the door in the stove does not seal properly it must be replaced. This is easy to do using this set which includes both gasket and glue.



Senotherm spray paint

Refresh the stove. It is easy to repair small damages in the colour using Senotherm spray paint to make your stove look fresh and nice again. Senotherm spray paint tolerates heat and is easy to use.



Thermometer

Helps you to keep track of the heat in the baking oven.



Grill for baking stove

A perfect fit for your baking oven.



Dish for baking stove

Prepare a delicious dish in your baking oven.



Tipi
HETA Tipi provides comfortable warmth on cool summer evenings.




Tipi grill
Use the grill for cooking in Tipi 147 cm – e.g. for grilling sausages.


**More on
heta.dk**

Glass plates


Scan-Line 900
0021-014465




Scan-Line 8
1013-011481




Scan-Line 8
3535-0103




Scan-Line 900
0021-014873




Scan-Line 1000
3535-0105




**Scan-Line 7B (Log Store),
Scan-LineGreen 150,
Scan-LineGreen 250**
0021-026111




**Scan-Line 7B (Log Store),
Scan-LineGreen 150,
Scan-LineGreen 250**
0021-014466




**Scan-Line 800, Scan-Line 810,
Scan-Line 820, Scan-Line 830, Scan-Line 840,
Scan-Line 80XL-80XLB, Scan-Line Green 250, Scan-Line
805 Aqua, Scan-Line Green 250, Scan-Line 805 Aqua**
3535-0100




**Scan-Line 500, Scan-Line 510,
Scan-Line 520, Scan-Line 550,
Scan-Line 551, Scan-Line 560,
Scan-Line 590**
3535-0101



Modern Universal
3535-0104



Classic Universal
3535-0102





042025 Print: strandbygaard.dk Photo: HETA



We take pride in delivering high quality products for all your heating needs. From an idea to a finished product in your home. On the west coast of Denmark, with the North Sea and raw nature surrounding us. This is where each of Heta's wood, pellet and aqua stoves are designed, developed and made.

Dealer

Jupitervej 22 | DK-7620 Lemvig | heta.dk